

Fig. 6

Modifying The Template




Fig. 13

1.4 Define Metric Targets.

User defines the ranges and limits for red, yellow and green targets for each metric on this screen. These target numbers will determine the performance levels of a business which reports that metric. Based on these limits dashboard report will display red / yellow / green traffic lights.

	id Green	43 month Date	Programme.	10 - 21 - 41 - 11 - 12 - 12 - 12 - 12 - 12				PISS	Th	2
o kapan quan l'Oqqedoss i quis (S an	e.conc0000/meb	cs/po/reecs.pp	Chango Patswo	td: leg Dut		wat kan isu				
ge-metri	·e' !!			-		$- \wedge$				
			S	$J_{\mathcal{P}}(X)$						#
	_1						•			
			₹							
. •	CreatelMo	dify Metric Target	<u> </u>							
		mat De		•	•					
> User Profiles 1988 1988 1988 1988	Tempiate na Frequency:									
Mr. Create with a first with	Report Mon									
Template Definitions	•									
Validations Scient Dox Details						Yellow	l mad		Red I	Le
Field Categories	Field order	Field Name	Weight		en Level			Select	<u> </u>	r
Bernehr Betife Targets (Dentil)	1	mers_supported		Select E	11	Select T	· .			_
2 Modify Resident		number_of_calls		Select E		Select 🖫	l	Select	<u> </u>	1
Copy Temptate Dethition Periods Section	2		<u>, </u>	1 2- 10	98	between	94.97	· [4	16	Ŀ
Unload Help File	4	speed_rield	J.			Scled 😲		Select	5	Γ
The View Attachmente That GR	5	speed_median		Select S	ا ك 	. 100000		Sciect	13	ſ
> Import Remote Database > Entitles Towns and Towns	6	speed_span .		: Select 🕸	3	Select 2	1			r
Pe Renorta Company	•			· (s-	.04	between	.0£06	>	8	Ţ
en Hetrits Emry Andread (1918)	-	abandoned_rate	<u></u>		हा <u>हि</u>	beween	4.5	1	8	
	8	teropsed_on_fext_c	1	• • •					14	1
	10	critical_yield		>-	98	between	NAME OF THE OWNERS	2157335	4	:
	WINGS	THE PARTY OF THE P	· 4 2 10	TAN-10-10-10-10-10-10-10-10-10-10-10-10-10-		and the Charles of the other	received the first to	1 S. Jan J. S. W. S.		S. 15

FIG. 57

3. User Profiles

This function allows to create user profiles and grants access to the templates and entities. This functionality is further divided into different screens as follows.

3.1 Create User

This function allows to create new user profiles. There are three types of privileges as follows:

Template Administrator

Who can create template and create other two types of users.

Group Administrator

Who can create sub entities and create normal user.

Who can enter data into templates and view reports.

GE Metrics - Frances - Microsoft Interna	t Explorer		4237244	
The second second second			e ye	
part (D)	con-eccolactrics/pp/frames	D 1000		
and the property of the state o		Change Parviors (Log Det.)		
ge-metric				
				· (5)
	Create User Profile	3 - 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		
v User Profiles	Enter Profile Deta	ls ফ্লেক্টেটি		
Hoddy user Orani access to templates Grant access to emplates Fless Passyroid Templates Entities Reports Heurics Entry	Fields in BOLD are s	equired		劉
	Login id:	ı	•	
	First name :		•	A
	Last name :			
	Telephone:			=
	K-mey :	Please enter a valid emod address	s m s d e	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
	User Type :	- Solect One - E		le:
	and a service of the service of the	against the discovering of the participation of the respectition.		
	THE STATE OF			

F.K. 61